==========
Sequence Listing could not be accepted due to errors.
See attached Validation Report.
If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).
Reviewer: markspencer
Timestamp: [year=2009; month=6; day=19; hr=14; min=41; sec=24; ms=448;]
==========

****
Reviewer Comments:
1.
<210> 17
<211> 33
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus peptide sequence
<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)n, where Xaa is any amino acid and n is an integer from 1 to 20
<220>
<221> X
<222> (2)..(2)
<223> X = W or F
<220>
<221> X
<222> (3)..(17)
<223> X = any positively charged amino acid
<220>
<221> X
<222> (18)..(18)
<223> X = W or F
<220>
<221> X
<222> (19)..(31)
<223> X = any amino acid

<220>
<221> X
<222> (32)..(32)
<223> X = W or F
<220>
<221> X
<222> (33)..(33)
<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)n, where Xaa is any amino acid and n is an integer from 1 to 20
* * * * * * * * *

For SEQ ID # 17, 18,19,21,22, and 23, “Xaa” cannot represent more than one amino acid. For example, SEQ ID # 17 says the “Xaa” at positions 1 and 33 can represent 1 to 20 amino acids. Please make all necessary changes.

2.

W213 Artificial or Unknown found in <213> in SEQ ID (1)
E257 Invalid sequence data feature in <221> in SEQ ID (1)
E257 Invalid sequence data feature in <221> in SEQ ID (1)
E257 Invalid sequence data feature in <221> in SEQ ID (1)
E257 Invalid sequence data feature in <221> in SEQ ID (1)
E257 Invalid sequence data feature in <221> in SEQ ID (1)
W213 Artificial or Unknown found in <213> in SEQ ID (2)
W213 Artificial or Unknown found in <213> in SEQ ID (3)
W213 Artificial or Unknown found in <213> in SEQ ID (4)
W213 Artificial or Unknown found in <213> in SEQ ID (5)
W213 Artificial or Unknown found in <213> in SEQ ID (6)
W213 Artificial or Unknown found in <213> in SEQ ID (7)
W213 Artificial or Unknown found in <213> in SEQ ID (8)
W213 Artificial or Unknown found in <213> in SEQ ID (9)
W213 Artificial or Unknown found in <213> in SEQ ID (10)
W213 Artificial or Unknown found in <213> in SEQ ID (11)
W213 Artificial or Unknown found in <213> in SEQ ID (12)
W213 Artificial or Unknown found in <213> in SEQ ID (13)
W213 Artificial or Unknown found in <213> in SEQ ID (14)
W213 Artificial or Unknown found in <213> in SEQ ID (15)
W213 Artificial or Unknown found in <213> in SEQ ID (16)
W213 Artificial or Unknown found in <213> in SEQ ID (17)
E257 Invalid sequence data feature in <221> in SEQ ID (17)

E257 Invalid sequence data feature in <221> in SEQ ID (17)
E257 Invalid sequence data feature in <221> in SEQ ID (17)
E257 Invalid sequence data feature in <221> in SEQ ID (17)
E257 Invalid sequence data feature in <221> in SEQ ID (17)
E257 Invalid sequence data feature in <221> in SEQ ID (17)
E257 Invalid sequence data feature in <221> in SEQ ID (17)
W213 Artificial or Unknown found in <213> in SEQ ID (18)
E257 Invalid sequence data feature in <221> in SEQ ID (18)
E257 Invalid sequence data feature in <221> in SEQ ID (18)
E257 Invalid sequence data feature in <221> in SEQ ID (18)
E257 Invalid sequence data feature in <221> in SEQ ID (18)
E257 Invalid sequence data feature in <221> in SEQ ID (18)
E257 Invalid sequence data feature in <221> in SEQ ID (18)
W213 Artificial or Unknown found in <213> in SEQ ID (19)
E257 Invalid sequence data feature in <221> in SEQ ID (19)
E257 Invalid sequence data feature in <221> in SEQ ID (19)
This error has occured more than 20 times, will not be displayed
W213 Artificial or Unknown found in <213> in SEQ ID (20) This error has occured more than 20 times, will not be displayed

The warnings and errors shown above are ok and require no response.
****

Validated By CRFValidator v 1.0.3

Application No: 10551619 Version No: 3.0

Input Set:

Output Set:

Started: 2009-06-08 13:02:11.291
Finished: 2009-06-08 13:02:26.403
Elapsed: 0 hr(s) 0 min(s) 15 sec(s) 112 ms
Total Warnings: 33
Total Errors: 58
No. of SeqIDs Defined: 33
Actual SeqID Count: 33

Error code		Error Description
W	213	Artificial or Unknown found in <213> in SEQ ID (1)
E	257	Invalid sequence data feature in <221> in SEQ ID (1)
E	257	Invalid sequence data feature in <221> in SEQ ID (1)
E	257	Invalid sequence data feature in <221> in SEQ ID (1)
E	257	Invalid sequence data feature in <221> in SEQ ID (1)
E	257	Invalid sequence data feature in <221> in SEQ ID (1)
W	213	Artificial or Unknown found in <213> in SEQ ID (2)
W	213	Artificial or Unknown found in <213> in SEQ ID (3)
W	213	Artificial or Unknown found in <213> in SEQ ID (4)
W	213	Artificial or Unknown found in <213> in SEQ ID (5)
W	213	Artificial or Unknown found in <213> in SEQ ID (6)
W	213	Artificial or Unknown found in <213> in SEQ ID (7)
W	213	Artificial or Unknown found in <213> in SEQ ID (8)
W	213	Artificial or Unknown found in <213> in SEQ ID (9)
W	213	Artificial or Unknown found in <213> in SEQ ID (10)
W	213	Artificial or Unknown found in <213> in SEQ ID (11)
W	213	Artificial or Unknown found in <213> in SEQ ID (12)
W	213	Artificial or Unknown found in <213> in SEQ ID (13)
W	213	Artificial or Unknown found in <213> in SEQ ID (14)
W	213	Artificial or Unknown found in <213> in SEQ ID (15)

Input Set:

Output Set:

Started: 2009-06-08 13:02:11.291
Finished: 2009-06-08 13:02:26.403
Elapsed: 0 hr(s) 0 min(s) 15 sec(s) 112 ms
Total Warnings: 33
Total Errors: 58
No. of SeqIDs Defined: 33
Actual SeqID Count: 33

Error code		Error Description
W	213	Artificial or Unknown found in <213> in SEQ ID (16)
W	213	Artificial or Unknown found in <213> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
W	213	Artificial or Unknown found in <213> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
W	213	Artificial or Unknown found in <213> in SEQ ID (19)
E	257	Invalid sequence data feature in <221> in SEQ ID (19)
E	257	Invalid sequence data feature in <221> in SEQ ID (19) This error has occured more than 20 times, will not be displayed
W	213	Artificial or Unknown found in <213> in SEQ ID (20) This error has occured more than 20 times, will not be displayed

SEQUENCE LISTING

<110> The Regents of the University of California
Martin, Paul Taylor

<120> AMYLOID-SPECIFIC PEPTIDES AND USES THEREOF

<130> 00015-022US1

<140> 10551619
<141> 2006-12-22

<150> US 60/461,168
<151> 2003-04-07

<150> PCT/US04/10939
<151> 2004-04-07

<160> 33

<170> PatentIn version 3.3

<210> 1
<211> 10
<212> PRT
<213> Artificial sequence

<220>
<223> consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W OR F

<220>
<221> X
<222> (2)..(6)
<223> X = any amino acid having two positively charged residues and no negatively charged residues

<220>
<221> X
<222> (7)..(7)
<223> X = W OR F

<220>
<221> X
<222> (8)..(9)
<223> X = Any amino acid

<220>
<221> X
<222> (10)..(10)
<223> X = W OR F

<400> 1

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 2
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 2

Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser Gly
1 5 10 15

Lys Thr Glu Ala
20

<210> 3
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 3

Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu Phe
1 5 10 15

Ser Gln Asp Gln
20

<210> 4
<211> 26
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 4

Ala Glu Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly
1 5 10 15

Ala Ser Gly Lys Thr Glu Ala Cys Gly Pro
20 25

<210> 5
<211> 22
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 5

Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser
1 5 10 15

Gly Lys Thr Glu Ala Cys
20

<210> 6
<211> 22
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 6

Cys Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu
1 5 10 15

Phe Ser Gln Asp Gln Cys
20

<210> 7
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 7

Leu Gly Ser Gly Arg Ile Gly Asp Gly Trp Ser Asp Gly Gly Leu Ala
1 5 10 15

Arg Arg Leu Lys
20

<210> 8
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 8

Asp Gly Gly Gly Gly Ala Gly Arg Trp Thr Thr Lys Asp Arg Ser Ala
1 5 10 15

Ala Lys Thr Glu
20

<210> 9
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 9

Val Asp Asp Gly Ala Gln Gly Lys Arg Trp Gly Gly Met Gly Leu Gly
1 5 10 15

Lys Gly Arg Arg
20

<210> 10
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 10

Ser Gly Ser Gly Val Gly Leu Arg Met Ala Ser Gln Arg His Glu Gly
1 5 10 15

Arg Lys Val Tyr
20

<210> 11
<211> 20

<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 11

Gln Leu Pro Gln Asn Gly Gly Pro Ala Trp Phe Thr Arg Lys Ala Gly
1 5 10 15

Gln Gly Gly Arg
20

<210> 12
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 12

Leu Gly Tyr Ala Gly Gly Gly Gln Gly Met Val Glu Gly Ser Phe Trp
1 5 10 15

Pro Thr Ser Trp
20

<210> 13
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 13

Gly Leu Arg Gly Met Glu Gly Arg Gly Tyr Pro Lys Asp Arg Arg Asp
1 5 10 15

Arg Asn Leu Glu
20

<210> 14
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 14

Leu Ile Gly Gly Asn Lys Ala Gly Arg Gly Ala Trp Gly Val Val Ala
1   5   10   15

Ser Ser Gly Arg
            20

<210> 15
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 15

Glu Leu Glu Ser Arg Gly Gly Leu Gly Tyr Ala Trp Arg Gly Ser Ala
1   5   10   15

Ser Thr Met Asp
            20

<210> 16
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 16

Lys Gly Glu Thr Gly Asn Gly Gly Arg Ala Lys Ala Gly Thr Val Asp
1   5   10   15

Leu Ile Arg Arg
            20

<210> 17
<211> 33
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the
       formula (Xaa)n, where Xaa is any amino acid and n is an integer
       from 1 to 20

<220>
<221> X
<222> (2)..(2)
<223> X = W or F

<220>
<221> X
<222> (3)..(17)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (18)..(18)
<223> X = W or F

<220>
<221> X
<222> (19)..(31)
<223> X = any amino acid

<220>
<221> X
<222> (32)..(32)
<223> X = W or F

<220>
<221> X
<222> (33)..(33)
<223> X = any amino acid with at least one cysteine residue having the
       formula (Xaa)n, where Xaa is any amino acid and n is an integer
       from 1 to 20

<400> 17

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1   5   10   15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
            20   25   30

Xaa

<210> 18
<211> 32
<212> PRT

<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)n, where Xaa is any amino acid and n is an integer from 1 to 20

<220>
<221> X
<222> (2)..(2)
<223> X = W or F

<220>
<221> X
<222> (3)..(17)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (18)..(18)
<223> X = W or F

<220>
<221> X
<222> (19)..(31)
<223> X = any amino acid

<220>
<221> X
<222> (32)..(32)
<223> X = W or F

<400> 18

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

<210> 19
<211> 32
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(16)
<223> X = Any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>
<221> X
<222> (18)..(30)
<223> X = any amino acid

<220>
<221> X
<222> (31)..(31)
<223> X = W or F

<220>
<221> X
<222> (32)..(32)
<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)n, where Xaa is any amino acid and n is an integer from 1 to 20

<400> 19

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

<210> 20
<211> 31
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>

<221> X
<222> (2)..(16)
<223> X = Any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>
<221> X
<222> (18)..(30)
<223> X = any amino acid

<220>
<221> X
<222> (31)..(31)
<223> X = W or F

<400> 20

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

<210> 21
<211> 41
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)n, where Xaa is any amino acid and n is an integer from 1 to 20

<220>
<221> X
<222> (2)..(2)
<223> X = W or F

<220>
<221> X
<222> (3)..(17)
<223> X = Any positively charged amino acid

<220>
<221> X

<222> (18)..(18)
<223> X = W or F

<220>
<221> X
<222> (19)..(39)
<223> X = any amino acid

<220>
<221> X
<222> (40)..(40)
<223> X = W or F

<220>
<221> X
<222> (41)..(41)
<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)n, where Xaa is any amino acid and n is an integer from 1 to 20

<400> 21

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35 40

<210> 22
<211> 40
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)n, where Xaa is any amino acid and n is an integer from 1 to 20

<220>
<221> X
<222> (2)..(2)
<223> X = W or F

<220>
<221> X

<222> (3)..(17)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (18)..(18)
<223> X = W or F

<220>
<221> X
<222> (19)..(39)
<223> X = any amino acid

<220>
<221> X
<222> (40)..(40)
<223> X = W or F

<400> 22

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1   5   10   15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
            20   25   30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
        35   40

<210> 23
<211> 40
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(16)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>

<221> X
<222> (18)..(38)
<223> X = any amino acid

<220>
<221> X
<222> (39)..(39)
<223> X = W or F

<220>
<221> X
<222> (40)..(40)
<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)n, where Xaa is any amino acid and n is an integer from 1 to 20

<400> 23

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35 40

<210> 24
<211> 39
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(16)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>
<221> X
<222> (18)..(38)

<223> X = any amino acid

<220>
<221> X
<222> (39)..(39)
<223> X = W or F

<400> 24

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1   5   10   15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
            20   25   30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
        35

<210> 25
<211> 5
<212> PRT
<213> Artificial sequence

<220>
<223> Flanking peptide sequence

<400> 25

Ser Arg Lys Asn Gln
1   5

<210> 26
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 26

His Cys Ser Gln Asn Glu Asp Gly Ala
1   5

<210> 27
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 27

Tyr Ser Thr Thr Ser Trp Tyr Tyr Trp
1 5

<210> 28
<211> 40
<212> PRT
<213> Artificial sequence

<220>
<223> Alpha-Beta 1-40 fragment

<400> 28

Asp Ala Glu Phe Lys His Asp Ser Gly Thr Glu Val His His Gln Lys
1 5 10 15

Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys Gly Ala Ile Ile
20 25 30

Gly Leu Met Val Gly Gly Val Val
35 40

<210> 29
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> primer

<400> 29
gtttgtcgtc tttccagacg 20

<210> 30
<211> 105
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleotide cloning sequence

<400> 30
cggggtacct gcagaatgcg attgggggaa ggggggtcgg tggcggttgt ggccgggtgc 60

gtcggggaag acggaggcgt gcggcccgcc gtattagtct agagc 105

<210> 31
<211> 105
<212> DNA

<213> Artificial sequence

<220>
<223> Nucleotide cloning sequence

<400> 31
gctctagact aatacggcgg gccgcacgcc tccgtcttcc ccgacgcacc cggccacaac 60

cgccaccgac ccccccttccc ccaatcgcat tctgcaggta ccccg 105

<210> 32
<211> 5
<212> PRT
<213> Artificial sequence

<220>
<223> Flanking sequence from phage coat

<400> 32

Cys Gly Pro Pro Tyr
1 5

<210> 33
<211> 11
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(6)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (7)..(7)
<223> X = W or F

<220>
<221> X
<222> (8)..(10)
<223> X = any amino acid

<220>
<221> X
<222> (11)..(11)

<223> X = W or F

<400> 33

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10